

### 3 FERTILITY AND FAMILY PLANNING

**Table A3.1 Age at First Marriage**

Percentage of ever-married women who were first married by exact age 15, 18, 20, 22 and 25 and median age at first marriage according to current age, CPFH 2005.

Current Age	Exact age at first marriage					Never married	Number of women	Median age
	15	18	20	22	25			
15-19	4.6	-	-	-	-	93.7	33	-
20-24	0.0	15.4	48.2	-	-	68.6	150	20
25-29	1.9	21.3	41.2	61.3	88.9	40.0	218	20
30-34	0.8	15.5	33.8	51.4	80.9	27.9	239	21
35-39	3.8	22.2	40.3	57.1	78.1	15.8	246	21
40-44	2.6	21.9	42.7	58.6	75.4	9.1	202	20
45-49	2.8	26.7	43.4	67.4	80.3	9.1	172	20
20-49	2.1	20.5	41.0	61.2	83.0	35.1	1226	20
25-49	2.4	21.2	40.0	58.6	80.8	22.9	1076	20

**Table A3.2 Children Ever Born**

Percent distribution of ever-married women and husbands by children ever born and the mean number of children ever born, by region and place of residence, CPFH 2005.

Children ever born	Central	North	South	Urban	Rural	Total (weighted)
<b>WOMEN</b>						
0	9.7	6.9	5.4	8.2	10.3	8.5
1	9.9	8.8	15.1	10.3	8.5	10.0
2	13.7	12.1	16.4	13.6	12.8	13.5
3	14.6	10.6	14.0	14.2	9.5	13.4
4	16.0	17.1	8.4	16.5	10.9	15.6
5+	36.2	44.6	40.7	37.2	47.9	38.9
<b>Total</b>	100.0	100.0	100.0	100.0	100.0	100.0
<b>Number</b>	802	343	112	1058	199	1257
<b>Mean</b>	3.9	4.4	4.2	4.0	4.5	4.1
<b>HUSBANDS</b>						
0	12.6	6.5	7.7	10.2	11.9	10.5
1	9.3	9.4	11.3	9.5	9.6	9.5
2	11.0	8.6	15.0	10.7	10.6	10.7
3	14.2	10.8	13.3	14.4	7.3	13.2
4	15.5	15.8	8.0	15.6	11.0	14.9
5+	37.5	49.0	44.7	39.6	49.6	41.3
<b>Total</b>	100.0	100.0	100.0	100.0	100.0	100.0
<b>Number</b>	554	240	82	725	151	876
<b>Mean</b>	4.1	4.7	4.8	4.2	4.8	4.3

**Table A3.3 Desire for More Children**

Percent distribution of currently married women and husbands who are not sterilized by desire of more children, by region and place of residence, CPFH 2005.

<b>Desire for more children</b>	<b>Central</b>	<b>North</b>	<b>South</b>	<b>Urban</b>	<b>Rural</b>	<b>Total (weighted)</b>
<b>WOMEN</b>						
Have another child soon	19.1	11.9	14.2	16.6	17.1	16.7
Have another child later	20.1	24.9	24.7	21.2	25.2	21.8
Want another, don't know when	2.3	2.6	0.0	2.0	2.8	2.2
Want No more, none	48.1	46.1	46.3	48.0	44.5	47.4
Declared infecund	3.1	5.9	5.0	3.5	2.7	3.4
Sterilized	4.0	5.2	5.9	4.6	3.9	4.5
Undecided	3.3	3.5	3.9	4.1	4.0	4.1
<b>Total</b>	100.0	100.0	100.0	100.0	100.0	100.0
<b>Number</b>						
<b>HUSBANDS</b>						
Have another child soon	19.9	14.2	19.6	18.3	18.4	18.3
Have another child later	22.9	25.2	21.6	23.8	21.2	23.4
Want another, don't know when	5.4	4.0	6.3	5.6	2.8	5.1
Want No more, none	42.1	47.3	45.9	42.7	49.5	43.9
Declared infecund	3.9	3.8	1.4	3.5	4.4	3.6
Undecided	5.8	5.5	5.3	6.1	3.5	5.7
<b>Total</b>	100.0	100.0	100.0	100.0	100.0	100.0
<b>Number</b>						

**Table A3.4 Ideal Number of Children**

Percent distribution of ever-married women, husbands, never-married female and male youth by ideal number of children and the mean ideal number of children, by region and place or residence, CPFH 2005.

<b>Ideal Number of Children</b>	<b>Central</b>	<b>North</b>	<b>South</b>	<b>Urban</b>	<b>Rural</b>	<b>Total (weighted)</b>
<b>WOMEN</b>						
1	1.1	1.7	0.0	1.2	0.8	1.2
2	14.0	6.0	8.4	12.4	7.0	11.5
3	10.1	8.9	9.4	9.8	9.6	9.7
4	36.9	38.7	41.6	37.6	39.0	37.8
5+	23.5	29.1	25.0	23.9	30.8	25.0
None	0.8	2.9	2.6	1.5	1.5	1.5
Other	0.2	0.0	0.0	0.1	0.0	0.1
Don't know	13.4	12.7	13.1	13.5	11.4	13.2
<b>Total</b>	100.0	100.0	100.0	100.0	100.0	100.0
<b>Number</b>	612	232	85	775	155	930
<b>Mean</b>	4.2	4.3	4.3	4.5	4.2	4.3
<b>HUSBANDS</b>						
1	1.9	4.2	2.9	2.1	4.8	2.6
2	10.7	9.5	11.9	10.6	10.3	10.5
3	18.7	12.1	21.5	18.2	11.9	17.1
4	28.8	26.3	24.4	27.3	29.5	27.7
5+	25.5	32.4	19.4	27.0	26.1	26.8
None	2.9	4.6	2.3	3.5	2.7	3.3
Other	0.5	2.3	1.0	0.4	4.4	1.1
Don't know	10.9	8.6	16.7	11.0	10.3	10.8
<b>Total</b>	100.0	100.0	100.0	100.0	100.0	100.0
<b>Number</b>	554	240	82	725	151	876
<b>Mean</b>	4.3	4.3	4.1	4.3	4.1	4.3

**Table A3.4 Continued**

<b>Ideal Number of Children</b>	<b>Central</b>	<b>North</b>	<b>South</b>	<b>Urban</b>	<b>Rural</b>	<b>Total (weighted)</b>
<b>NEVER-MARRIED FEMALE YOUTH</b>						
1	3.1	1.7	0.0	2.5	1.7	2.4
2	29.0	23.4	36.4	30.9	15.4	28.1
3	14.4	18.8	16.0	14.0	24.7	15.9
4	34.1	39.4	30.2	34.7	37.9	35.3
5+	10.4	10.6	5.0	10.0	9.2	9.9
None	0.4	0.4	1.4	0.3	1.5	0.5
Other	2.0	0.0	0.0	1.5	0.0	1.2
Don't know	6.6	5.8	11.0	6.2	9.7	6.8
<b>Total</b>	100.0	100.0	100.0	100.0	100.0	100.0
<b>Number</b>	278	135	50	381	82	463
<b>Mean</b>	3.2	3.3	3.0	3.2	3.4	3.2
<b>NEVER-MARRIED MALE YOUTH</b>						
1	2.2	1.1	4.0	2.3	1.1	2.1
2	22.4	23.6	18.9	23.3	18.3	22.4
3	15.3	15.7	13.1	15.3	14.8	15.2
4	31.2	36.9	34.4	32.3	36.5	33.0
5+	21.3	17.4	21.2	20.2	20.3	20.2
None	0.0	1.3	1.4	0.2	2.0	0.5
Other	0.8	0.0	0.0	0.5	0.4	0.5
Don't know	6.8	4.0	7.1	6.0	6.5	6.1
<b>Total</b>	100.0	100.0	100.0	100.0	100.0	100.0
<b>Number</b>	300	129	43	391	82	473
<b>Mean</b>	3.5	3.4	3.5	3.5	3.5	3.5

**Table A3.5 Knowledge of Family Planning Methods**

Percentage of ever-married women, husbands, and never-married female and male youth who know about specific family planning methods, by region and place of residence, CPFH 2005.

<b>Method</b>	<b>Married Women</b>	<b>Married Men</b>	<b>Male Youth</b>	<b>Female Youth</b>
<b>Any method</b>	100.0	100.0	93.7	96.4
<b>Any modern method</b>	99.8	100.0	93.1	96.4
Pill	97.9	94.1	89.0	93.4
IUD	98.7	96.8	87.2	93.6
Injectables	86.0	56.3	38.7	57.0
Norplant/Implant	52.2	19.4	11.2	22.9
Diaphragm/effervescent tablets	20.2	17.7	14.6	19.5
Male condom	83.5	76.5	61.8	35.1
Female condom	21.2	19.0	17.3	19.5
Female sterilization	85.6	72.8	39.8	52.4
Male sterilization	28.7	28.1	20.5	19.5
Foam or jelly	37.5	13.4	11.9	23.0
Lactational Amenorrhea Method (LAM)	70.2	33.0	20.4	51.4
<b>Any traditional method</b>	91.3	100.0	36.3	48.3
Periodic abstinence	82.6	71.1	36.3	48.5
Withdrawal	84.8	79.4	58.7	28.4
<b>Number</b>	1,270	876	473	463

**Table A3.5 Continued**

Method	Central	North	South	Urban	Rural	Total (weighted)
<b>MARRIED WOMEN</b>						
<b>Any method</b>	99.8	99.5	100.0	99.8	99.7	99.8
<b>Any modern method</b>	99.8	99.5	100.0	99.8	99.7	99.8
Pill	98.1	96.8	97.2	97.8	96.8	97.7
IUD	99.0	98.2	97.6	98.8	98.0	98.6
Injectables	86.7	81.7	91.6	86.0	84.8	85.8
Norplant/Implant	51.7	51.7	55.6	52.5	50.0	52.1
Diaphragm/effervescent tablets	20.2	15.9	32.2	20.4	19.1	20.2
Condom	85.7	78.9	81.0	84.2	79.1	83.4
Female condom	23.0	14.2	29.2	22.3	15.2	21.2
Female sterilization	87.7	80.3	86.4	86.4	81.4	85.6
Male sterilization	30.2	24.6	29.8	29.6	24.0	28.7
Foam or jelly	42.3	26.4	36.3	39.1	28.2	37.5
Lactational amenorrhea method (LAM)	69.6	71.6	69.0	71.0	65.0	70.1
<b>Any traditional method</b>	92.2	89.6	388.3	91.9	87.1	91.2
Periodic abstinence	84.0	79.6	81.0	83.5	77.4	82.5
Prolonged breastfeeding	86.2	83.2	77.9	85.6	79.5	84.7
<b>Number</b>	808	340	112	1062	197	1272
<b>MARRIED MEN</b>						
<b>Any method</b>	99.1	98.0	96.1	98.5	98.5	98.4
<b>Any modern method</b>	99.1	98.0	96.1	98.5	98.5	98.4
Pill	95.0	91.9	93.9	94.4	92.5	94.1
IUD	98.1	95.1	92.9	97.1	95.1	96.8
Injectables	59.2	53.6	44.4	57.4	51.0	56.3
Norplant/Implant	19.7	20.1	15.4	19.8	17.7	19.4
Diaphragm/effervescent tablets	20.1	13.3	14.7	18.8	12.7	17.7
Condom	81.8	69.4	61.5	78.4	67.1	76.5
Female condom	20.5	16.6	15.8	20.2	13.0	19.0
Female sterilization	74.3	70.6	68.3	73.6	68.8	72.8
Male sterilization	32.5	23.3	12.1	29.9	19.4	28.1
Foam or jelly	16.7	8.1	6.5	14.1	10.1	13.4
Lactational amenorrhea method (LAM)	31.7	35.3	34.2	32.6	34.8	33.0
<b>Any traditional method</b>	87.3	80.4	84.9	85.9	81.7	85.2
Periodic abstinence	73.4	64.5	74.2	71.1	71.1	71.1
Prolonged breastfeeding	83.0	73.0	73.9	80.6	73.6	97.4
<b>Number</b>	546	237	81	715	148	864

**Table A3.5 Continued**

<b>Method</b>	<b>Central</b>	<b>North</b>	<b>South</b>	<b>Urban</b>	<b>Rural</b>	<b>Total (weighted)</b>
<b>NEVER-MARRIED FEMALE YOUTH</b>						
<b>Any method</b>	95.7	97.5	97.9	96.3	97.0	96.4
<b>Any modern method</b>	95.7	97.5	97.9	96.3	97.0	96.4
Pill	92.3	93.7	96.5	92.8	94.9	93.2
IUD	93.8	91.4	96.6	93.3	93.7	93.4
Injectables	57.4	53.4	62.6	56.6	57.7	56.8
Norplant/Implant	25.5	19.4	17.4	23.5	19.7	22.8
Diaphragm/effervescent tablets	20.1	14.8	28.6	19.8	17.9	19.4
Condom	37.4	31.1	32.1	36.7	27.0	35.0
Female condom	20.0	13.7	32.3	19.8	18.0	19.5
Female sterilization	59.8	43.4	34.5	53.2	48.0	52.3
Male sterilization	20.3	18.3	17.7	19.7	18.1	19.4
Foam or jelly	24.2	16.9	32.2	23.5	20.3	22.9
Lactational amenorrhea method (LAM)	56.8	39.2	52.7	53.1	42.7	51.2
<b>Any traditional method</b>	53.8	44.1	60.8	52.5	48.4	51.7
Periodic abstinence	50.4	40.5	58.9	48.9	46.1	48.4
Prolonged breastfeeding	32.7	19.5	28.2	29.5	23.2	28.4
<b>Number</b>	278	135	50	381	82	463
<b>NEVER-MARRIED MALE YOUTH</b>						
<b>Any method</b>	93.9	93.5	92.9	93.4	94.9	93.7
<b>Any modern method</b>	93.5	92.1	92.9	92.8	94.5	93.1
Pill	89.4	87.7	90.3	88.4	92.1	89.0
IUD	89.0	86.4	76.8	87.3	86.8	87.2
Injectables	37.9	40.5	38.2	38.8	38.2	38.7
Norplant/Implant	12.1	8.5	13.4	11.9	7.8	11.2
Diaphragm/effervescent tablets	11.8	19.9	17.4	13.8	18.5	14.6
Condom	64.0	56.2	62.9	63.1	55.3	61.8
Female condom	16.5	17.9	21.4	17.6	15.9	17.3
Female sterilization	38.5	42.7	40.3	39.4	41.7	39.8
Male sterilization	19.8	21.3	23.3	20.5	20.5	20.5
Foam or jelly	10.1	13.3	20.4	11.9	12.1	11.9
Lactational amenorrhea method (LAM)	18.8	22.7	24.7	19.6	24.1	20.4
<b>Any traditional method</b>	63.1	65.8	61.0	63.8	63.2	63.7
Periodic abstinence	37.8	32.9	36.4	36.6	35.0	36.3
Prolonged breastfeeding	58.4	61.5	52.4	58.6	59.6	58.7
<b>Number</b>	300	130	43	391	82	473

**Table A3.6 Attitudes towards Family Planning †**

Percentage of ever-married women, husbands, and never-married female and male youth by whether they agree or disagree to various statements about spacing between births and using family planning methods, by region and place of residence, CPFH 2005.

	Central	North	South	Urban	Rural	Total (weighted)
<b>WOMEN</b>						
<b>Couples should space births at least 2 years</b>						
Agree	93.4	91.8	94.5	93.3	91.6	93.1
Disagree	3.7	3.6	5.5	3.8	4.3	3.8
<b>Couples should space births 3-5 years</b>						
Agree	65.7	72.2	72.8	67.3	72.4	68.1
Disagree	28.4	21.2	23.9	27.0	20.7	26.1
<b>After the birth, couples should begin using a family planning method before resuming marital relations</b>						
Agree	88.5	83.3	92.3	87.7	85.9	87.4
Disagree	9.2	10.6	2.5	9.1	8.3	9.0
<b>If couples make proper spacing, the next child will be healthier</b>						
Agree	96.0	95.5	98.1	95.9	96.6	96.0
Disagree	1.7	1.7	0.7	1.8	0.9	1.6
<b>If couples delay the birth of their next child, the mother will be healthier</b>						
Agree	98.4	96.8	99.4	98.2	97.3	98.0
Disagree	0.6	0.7	0.0	0.6	0.4	0.5
<b>Starting the contraception immediately after the birth of a child will prevent accidental pregnancies that occur too soon</b>						
Agree	38.3	51.4	50.9	40.8	51.2	42.4
Disagree	5.9	4.7	7.8	5.9	4.9	5.8
<b>Number</b>	816	344	113	1073	199	1271

† Omitted responses include neutral, and don't know/missing.

<b>Table A3.6 Continued</b>						
	<b>Central</b>	<b>North</b>	<b>South</b>	<b>Urban</b>	<b>Rural</b>	<b>Total (weighted)</b>
<b>HUSBANDS</b>						
<b>Couples should space births at least 2 years</b>						
Agree	90.4	86.0	90.5	90.0	85.4	89.2
Disagree	6.2	8.6	9.5	6.8	8.7	7.1
<b>Couples should space births 3-5 years</b>						
Agree	58.7	64.0	64.9	58.8	70.0	60.7
Disagree	35.9	26.8	34.0	35.0	24.8	33.2
<b>After the birth, couples should begin using a family planning method before resuming marital relations</b>						
Agree	85.8	78.9	85.9	84.4	81.3	83.9
Disagree	9.7	14.1	5.9	10.5	10.7	10.5
<b>If couples make proper spacing, the next child will be healthier</b>						
Agree	93.7	95.1	99.0	94.1	97.0	94.6
Disagree	4.1	0.7	0.4	3.2	0.9	2.8
<b>If couples delay the birth of their next child, the mother will be healthier</b>						
Agree	93.7	95.1	99.0	94.1	97.0	94.6
Disagree	4.1	0.7	0.4	3.2	0.9	2.8
<b>Starting the contraception immediately after the birth of a child will prevent accidental pregnancies that occur too soon</b>						
Agree	81.3	75.3	83.6	79.4	82.1	79.9
Disagree	9.5	7.9	8.0	9.3	6.9	8.9
<b>Number</b>	554	240	82	725	151	876

\* Omitted responses include neutral, and don't know/missing.

**Table A3.6 Continued**

	Central	North	South	Urban	Rural	Total (weighted)
<b>NEVER-MARRIED FEMALE YOUTH</b>						
<b>Couples should space births at least 2 years</b>						
Agree	92.4	94.6	97.4	93.7	93.1	93.6
Disagree	4.7	2.3	2.6	3.8	3.6	3.8
<b>Couples should space births 3-5 years</b>						
Agree	66.8	73.0	75.6	68.3	75.5	69.5
Disagree	27.8	19.4	20.5	25.6	19.8	24.5
<b>After the birth, couples should begin using a family planning method before resuming marital relations</b>						
Agree	82.4	85.5	85.3	82.8	87.2	83.6
Disagree	9.2	9.0	14.0	9.8	8.7	90.6
<b>If couples make proper spacing, the next child will be healthier</b>						
Agree	95.4	98.5	100.0	96.4	98.9	96.8
Disagree	0.6	0.0	0.0	0.4	0.0	0.4
<b>If couples delay the birth of their next child, the mother will be healthier</b>						
Agree	94.8	98.5	100.0	95.9	98.9	96.4
Disagree	1.3	0.0	0.0	0.9	0.0	0.8
<b>Starting the contraception immediately after the birth of a child will prevent accidental pregnancies that occur too soon</b>						
Agree	83.0	86.7	98.1	85.3	87.6	85.7
Disagree	6.5	4.1	1.2	5.6	3.3	5.2
<b>Number</b>	278	135	50	381	82	463

\* Omitted responses include neutral, and don't know/missing.

**Table A3.6 Continued**

	Central	North	South	Urban	Rural	Total (weighted)
<b>NEVER-MARRIED MALE YOUTH</b>						
<b>Couples should space births at least 2 years</b>						
Agree	89.2	89.5	85.2	89.4	86.7	88.9
Disagree	6.2	9.3	14.8	6.9	12.5	7.8
<b>Couples should space births 3-5 years</b>						
Agree	51.6	62.1	60.6	54.3	59.8	55.3
Disagree	39.0	32.8	39.4	38.1	33.7	37.4
<b>After the birth, couples should begin using a family planning method before resuming marital relations</b>						
Agree	81.8	77.2	88.4	80.4	84.7	81.2
Disagree	9.0	14.3	7.6	10.9	7.5	10.3
<b>If couples make proper spacing, the next child will be healthier</b>						
Agree	92.5	93.6	95.0	93.1	92.6	93.0
Disagree	1.6	3.0	4.3	1.8	4.2	4.3
<b>If couples delay the birth of their next child, the mother will be healthier</b>						
Agree	92.5	93.6	95.0	93.1	92.6	93.0
Disagree	1.6	3.0	4.3	1.8	4.2	2.2
<b>Starting the contraception immediately after the birth of a child will prevent accidental pregnancies that occur too soon</b>						
Agree	79.2	74.3	87.9	78.0	81.9	78.7
Disagree	8.8	14.6	9.3	10.6	9.6	10.5
<b>Number</b>	300	130	43	391	82	473
* Omitted responses include neutral, and don't know/missing.						

**Table A3.7 Opinion about Extent and Trend in Family Planning Use**

Percent distribution of ever-married women, husbands, and never-married female and male youth according to their opinion about the extent and the trend in family planning use in their community, by region and place of residence, CPFH 2005.

<b>Extent of family planning use in the community</b>	<b>Central</b>	<b>North</b>	<b>South</b>	<b>Urban</b>	<b>Rural</b>	<b>Total (weighted)</b>
<b>WOMEN</b>						
<b>Couples using FP</b>						
All	14.4	13.6	3.9	14.4	7.3	13.3
Most	49.6	49.3	51.4	48.9	53.6	49.7
Some	14.3	19.2	16.5	15.2	18.9	15.8
Very Few	8.5	9.1	18.3	8.8	13.3	9.5
None	1.8	3.4	0.8	2.0	2.9	2.2
Don't know/Not sure	11.4	5.4	9.2	10.6	4.0	9.6
<b>Couples who begin to use FP between 1<sup>st</sup> and 2<sup>nd</sup> child</b>						
All	8.4	5.0	0.6	7.3	4.3	6.8
Most	29.4	34.2	24.4	29.1	36.5	30.2
Some	16.5	17.3	17.4	17.1	15.1	16.8
Very Few	18.9	20.9	28.5	19.4	24.8	20.3
None	12.5	14.4	17.0	13.5	13.3	13.4
Don't know/Not sure	14.3	8.2	12.1	13.6	5.9	12.4
<b>Number of couples using FP is increasing/decreasing</b>						
Increasing	74.3	74.2	66.8	74.0	71.3	73.6
Decreasing	7.8	7.6	10.6	7.7	9.7	8.0
Stay about the same	9.2	11.9	13.7	9.7	13.7	10.3
Not sure	8.8	6.3	8.9	8.6	5.4	8.1
<b>Number</b>	816	344	113	1073	199	1272
<b>HUSBANDS</b>						
<b>Couples using FP</b>						
All	5.3	3.5	2.6	4.7	3.9	4.5
Most	28.0	37.8	23.1	29.2	35.3	30.2
Some	17.9	20.3	22.8	18.2	22.7	19.0
Very Few	21.1	22.6	35.0	23.0	21.6	22.8
None	4.8	3.5	3.2	4.3	4.5	4.3
Don't know/Not sure	23.1	12.3	13.4	20.7	12.0	19.2
<b>Couples who begin to use FP after 1<sup>st</sup> child</b>						
All	3.7	2.3	0.6	3.1	2.9	3.1
Most	24.8	33.3	20.6	26.2	29.5	26.7
Some	17.9	21.5	25.3	18.5	24.7	19.6
Very Few	21.6	21.7	29.2	22.1	23.5	22.3
None	5.0	3.7	4.2	4.6	4.4	4.6
Don't know/Not sure	27.0	17.4	20.0	25.6	15.0	23.8
<b>Number of couples using FP is increasing/decreasing</b>						
Increasing	67.0	69.3	67.9	66.6	73.0	67.7
Decreasing	3.2	6.8	5.9	4.4	4.8	4.5
Stay about the same	6.6	9.0	6.5	6.9	9.0	7.2
Not sure	23.2	14.9	19.7	22.1	13.3	20.6
<b>Number</b>	554	240	82	725	151	876

**Table A3.7 Continued**

Extent of family planning use in the community	Central	North	South	Urban	Rural	Total (weighted)
<b>NEVER-MARRIED FEMALE YOUTH</b>						
<b>Couples using FP</b>						
All	12.4	13.4	0.0	12.0	8.7	11.4
Most	41.5	40.2	41.3	40.0	46.3	41.1
Some	17.4	23.3	27.2	21.1	16.0	20.2
Very Few	10.2	12.5	16.6	9.5	21.2	11.5
None	3.5	4.0	5.4	3.8	3.8	3.8
Not sure	15.1	6.6	9.6	13.7	4.0	12.0
Total	100.0	100.0	100.0	100.0	100.0	100.0
<b>Couples who begin to use FP between 1<sup>st</sup> and 2<sup>nd</sup> child</b>						
All	8.2	5.8	1.2	6.8	6.2	6.7
Most	32.4	32.8	19.0	30.4	34.4	31.1
Some	17.4	21.7	32.6	20.1	21.0	20.3
Very Few	14.8	19.9	19.9	16.0	20.7	16.8
None	9.0	13.1	10.0	9.7	13.1	10.3
Not sure	18.2	6.7	17.3	16.9	4.6	14.7
Total	100.0	100.0	100.0	100.0	100.0	100.0
<b>Number of couples using FP is increasing/decreasing</b>						
Increasing	74.9	66.8	74.8	73.9	66.0	72.5
Decreasing	7.7	14.2	3.3	8.5	11.6	9.1
Stay about the same	9.4	12.3	20.0	9.5	20.2	11.4
Not sure	8.0	6.8	1.9	8.0	2.2	7.0
Total	100.0	100.0	100.0	100.0	100.0	100.0
<b>Number</b>	278	135	50	381	82	463
<b>NEVER-MARRIED MALE YOUTH</b>						
<b>Couples using FP</b>						
All	1.4	3.3	0.0	1.6	2.5	1.8
Most	25.8	24.5	25.2	24.6	29.2	25.4
Some	22.7	28.2	28.5	24.6	25.6	24.8
Few	22.4	23.8	18.0	23.0	19.6	22.4
None	6.8	8.0	9.90	6.9	9.8	7.4
Not sure	21.0	12.2	18.3	19.4	13.3	18.3
Total	100.0	100.0	100.0	100.0	100.0	100.0
<b>Couples who begin to use FP between 1<sup>st</sup> and 2<sup>nd</sup> child</b>						
All	2.5	3.8	6.4	2.8	5.4	3.2
Most	22.8	17.7	25.0	21.0	24.4	21.6
Some	20.8	25.4	26.3	23.0	20.3	22.6
Few	21.2	26.4	14.0	22.0	22.3	22.0
None	7.6	8.2	7.7	6.9	11.8	7.7
Not sure	25.2	18.5	20.7	24.4	15.9	22.9
Total	100.0	100.0	100.0	100.0	100.0	100.0
<b>Number of couples using FP is increasing/decreasing</b>						
Increasing	63.1	69.1	59.5	64.1	66.1	64.5
Decreasing	7.0	6.8	11.3	7.4	7.2	7.3
Stay about the same	14.2	13.7	21.9	14.6	15.7	14.8
Not sure	15.6	10.4	7.4	14.0	11.1	13.5
Total	100.0	100.0	100.0	100.0	100.0	100.0
<b>Number</b>	300	130	43	391	82	473

**Table A3.8 Approval of Family Planning Use**

Percent distribution of ever-married women, husbands, never-married female and male youth, by their attitudes towards using family planning methods, by region and place of residence, CPFH 2005.

<b>Approval of family planning use</b>	<b>Central</b>	<b>North</b>	<b>South</b>	<b>Urban</b>	<b>Rural</b>	<b>Total (weighted)</b>
<b>WOMEN</b>						
Approve	96.8	96.0	95.2	96.5	96.1	96.4
Disapprove	2.2	3.5	4.2	2.7	3.0	2.7
Not sure/ Don't know	1.1	0.5	0.6	0.8	1.0	0.9
<b>Total</b>	100.0	100.0	100.0	100.0	100.0	100.0
<b>Number</b>	816	344	113	1073	199	1,272
<b>HUSBANDS</b>						
Approve						
Disapprove						
Not sure/ Don't know						
<b>Total</b>	100.0	100.0	100.0	100.0	100.0	100.0
<b>Number</b>						
<b>NEVER-MARRIED FEMALE YOUTH</b>						
Approve	94.0	97.2	97.4	95.2	95.8	95.3
Disapprove	5.1	1.5	2.6	3.9	3.4	3.8
Not sure/ Don't know	0.9	1.3	0.0	0.9	0.8	0.9
<b>Total</b>	100.0	100.0	100.0	100.0	100.0	100.0
<b>Number</b>						
<b>NEVER-MARRIED MALE YOUTH</b>						
Approve	91.4	93.1	100.0	92.1	95.3	92.6
Disapprove	6.1	5.2	0.0	5.8	3.2	5.3
Not sure/ Don't know	2.5	1.8	0.0	2.2	1.5	2.1
<b>Total</b>	100.0	100.0	100.0	100.0	100.0	100.0
<b>Number</b>	300					

**Table A3.9 Approval of Family Planning Use after the First Birth**

Percentage of ever-married women, husbands, and never-married female and male youth by their approval of family planning use after the first birth, and the percentage who approve use of family planning after the first birth by the appropriate reasons to begin using contraception after the birth of the first child, by region and place of residence, CPFH 2005.

Categories	Central	North	South	Urban	Rural	Total (weighted)
<b>WOMEN</b>						
<b>Appropriate for a couple to use FP after the birth of their 1<sup>st</sup> child</b>	55.5	50.3	49.9	53.6	53.8	53.6
<b>Number</b>	789	326	108	1031	192	1223
<b>The appropriate reasons to begin using contraception after the first birth</b>						
The woman should rest for some time after the first birth	72.0	69.0	75.3	66.4	72.5	71.5
The first/next child will be healthier	47.8	40.2	37.5	42.3	45.6	45.1
Financial circumstances	34.3	36.6	32.7	32.5	46.8	34.8
Other	6.3	6.4	5.4	6.6	4.2	6.2
Don't Know	0.0	0.2	1.9	0.2	0.4	0.2
<b>Number</b>	429	161	53	101	541	642
<b>HUSBANDS</b>						
<b>Appropriate for a couple to use FP after the birth of their 1<sup>st</sup> child</b>	69.3	67.8	77.1	69.7	69.3	69.6
<b>Number</b>	524	224	77	683	142	825
<b>The appropriate reasons to begin using contraception after the first birth</b>						
The woman should rest for some time after the first birth	56.5	60.7	58.7	59.1	51.9	57.9
The first/next child will be healthier	36.7	41.1	27.2	38.1	31.0	36.9
Financial circumstances	63.4	50.3	71.8	59.7	66.4	60.8
Other	18.4	15.7	17.1	19.0	10.9	17.6
Don't Know	0.8	2.9	0.0	1.1	1.9	1.3
<b>Number</b>	359	150	59	471	97	568

**Table A3.9 Continued**

<b>NEVER-MARRIED FEMALE YOUTH</b>						
<b>Appropriate for a couple to use FP after the birth of their 1<sup>st</sup> child</b>	74.5	68.7	74.9	71.2	80.3	72.8
<b>Number</b>	262	132	49	364	79	443
<b>The appropriate reasons to begin using contraception after the first birth</b>						
The woman should rest for some time after the first birth	69.4	60.1	75.7	70.0	57.3	67.5
The first/next child will be healthier	44.5	41.6	51.5	46.6	35.9	44.5
Financial circumstances	31.7	26.6	15.3	25.0	42.7	28.4
Other	6.7	10.2	8.8	7.8	8.5	7.9
Don't know	3.3	3.2	2.6	3.5	1.7	3.2
<b>Number</b>	195	91	36	259	63	322
<b>NEVER-MARRIED MALE YOUTH</b>						
<b>Appropriate for a couple to use FP after the birth of their 1<sup>st</sup> child</b>	79.8	73.9	78.3	76.6	84.6	78.1
<b>Number</b>	277	122	43	364	79	443
<b>The appropriate reasons to begin using contraception after the first birth</b>						
The woman should rest for some time after the first birth	50.1	45.9	52.2	48.5	52.0	49.2
The first/next child will be healthier	34.1	44.5	30.6	36.6	35.9	36.5
Financial circumstances	57.6	53.3	47.5	56.7	50.1	55.5
Other	11.6	14.6	8.8	12.9	8.7	12.1
Don't know	2.5	4.6	14.3	3.3	8.1	4.2
<b>Number</b>	217	89	33	273	65	339

**Table A3.10 Ever Use of Family Planning Methods**

Percentage of ever-married women and husbands who have ever used a family planning method, by region and place of residence, CPFH 2005.

<b>Method</b>	<b>Central</b>	<b>North</b>	<b>South</b>	<b>Urban</b>	<b>Rural</b>	<b>Total (weighted)</b>
<b>WOMEN</b>						
<b>Any method</b>	<b>78.8</b>	<b>82.3</b>	<b>73.3</b>	<b>79.3</b>	<b>78.6</b>	<b>79.3</b>
<b>Any modern method</b>	<b>74.1</b>	<b>74.7</b>	<b>65.8</b>	<b>74.2</b>	<b>69.9</b>	<b>73.4</b>
Pill	43.7	43.2	37.5	44.3	36.3	43.0
IUD	52.2	51.0	38.2	51.5	46.3	50.7
Injectables	5.2	4.7	5.7	4.6	7.6	5.1
Norplant/Implant	2.1	3.0	2.1	2.2	3.0	2.3
Diaphragm	0.0	1.7	0.0	0.4	0.6	0.5
Condom	22.1	21.5	19.8	21.7	21.9	21.7
Female sterilization	3.8	5.0	5.1	4.2	4.3	4.3
Lactational Amenorrhea	17.8	20.6	20.7	18.8	18.8	18.8
<b>Any traditional method</b>	<b>40.5</b>	<b>45.7</b>	<b>36.9</b>	<b>41.4</b>	<b>42.6</b>	<b>41.6</b>
Periodic abstinence	23.0	25.9	20.3	23.0	26.5	23.5
Withdrawal	29.7	36.1	26.9	30.8	33.3	31.2
<b>Number</b>	<b>816</b>	<b>344</b>	<b>113</b>	<b>1073</b>	<b>199</b>	<b>1271</b>
<b>HUSBANDS</b>						
<b>Any method</b>	<b>69.4</b>	<b>67.9</b>	<b>64.6</b>	<b>69.1</b>	<b>65.8</b>	<b>68.5</b>
<b>Any modern method</b>	<b>63.7</b>	<b>58.1</b>	<b>52.0</b>	<b>61.9</b>	<b>57.0</b>	<b>61.0</b>
Pill	33.4	29.2	25.0	32.5	26.1	31.4
IUD	43.1	45.6	32.5	43.5	39.5	42.8
Injectables	2.7	1.7	0.0	2.3	1.4	2.2
Norplant/Implant	0.8	1.7	1.2	1.0	1.7	1.1
Diaphragm/effervescent tablets, cream/jell	0.1	0.0	0.0	0.1	0.0	0.1
Condom	20.7	13.7	13.8	17.9	19.6	18.2
Female sterilization	3.1	4.5	4.3	3.9	2.4	3.6
Lactational Amenorrhea	7.5	8.4	4.8	7.5	7.6	7.5
<b>Any traditional method</b>	<b>33.6</b>	<b>33.0</b>	<b>29.0</b>	<b>33.8</b>	<b>29.0</b>	<b>33.0</b>
Periodic abstinence	20.3	18.4	21.1	20.7	15.9	19.9
Withdrawal	25.1	21.8	13.5	23.7	20.3	23.1
<b>Number</b>	<b>554</b>	<b>240</b>	<b>82</b>	<b>725</b>	<b>151</b>	<b>876</b>

**Table A3.11 Number of Children at First Use of Family Planning**

Percent distribution of ever-married women by number of living children at the time of first use of family planning and the median number of children at the time of first use, by region and place of residence, CPFH 2005.

Categories	Central	North	South	Urban	Rural	Total (weighted)
<b>Never used contraception</b>	21.2	17.7	26.7	20.6	21.5	20.8
0	1.3	1.7	0.6	1.2	2.1	1.4
1	29.5	24.2	36.7	29.9	22.2	28.7
2	23.0	25.0	20.9	23.4	23.1	23.4
3	11.2	10.1	8.8	10.6	10.9	10.7
4	5.8	7.5	3.2	5.9	6.6	6.0
5+	7.9	13.9	3.0	8.3	13.6	9.1
<b>Total</b>	100.0	100.0	100.0	100.0	100.0	100.0
<b>Number</b>	814	343	113	1070	199	1269
<b>Median</b>						

**Table A3.12 Current Use of Family Planning Methods**

Percent distribution of currently married women and husbands by family planning method currently used, by region and place of residence, CPFH 2005.

<b>Method</b>	<b>Central</b>	<b>North</b>	<b>South</b>	<b>Urban</b>	<b>Rural</b>	<b>Total (weighted)</b>
<b>WOMEN</b>						
<b>Any method</b>	57.3	57.7	50.1	57.1	55.1	56.8
<b>Any modern method</b>	43.8	41.6	34.1	43.0	38.6	42.3
Pill	8.8	9.0	6.5	8.8	7.9	8.7
IUD	24.9	21.9	14.9	23.5	21.7	23.2
Injectables	0.4	0.3	0.7	0.4	0.6	0.4
Norplant/Implant	0.1	0.0	0.0	0.1	0.0	0.1
Condom	4.2	4.0	4.8	4.3	3.7	4.2
Female sterilization	3.7	4.8	5.4	4.3	3.5	4.1
Lactational Amenorrhea	0.9	1.4	1.8	1.1	1.0	1.1
<b>Any traditional method</b>	13.4	16.1	16.0	14.0	16.5	14.4
Periodic abstinence	3.4	3.6	5.0	3.6	3.6	3.6
Withdrawal	10.0	12.5	11.0	10.4	12.8	10.8
Other	0.2	0.0	0.0	0.1	0.0	0.1
<b>Not currently using</b>	42.7	42.3	49.9	42.9	44.9	43.2
<b>Number</b>	768	329	107	1012	192	1204
<b>HUSBANDS</b>						
<b>Any method</b>	47.3	48.8	40.0	47.0	47.5	47.1
<b>Any modern method</b>	38.7	37.2	30.3	38.0	35.0	37.5
Pill	9.1	8.2	6.6	9.4	5.1	8.7
IUD	22.9	23.0	14.6	22.0	22.8	22.2
Injectables	0.7	0.2	0.0	0.5	0.4	0.5
Norplant/Implant	0.0	0.0	0.0	0.0	0.0	0.0
Condom	3.5	2.3	4.8	3.0	4.6	3.3
Female sterilization	1.5	3.1	4.3	2.3	1.6	2.2
Lactational Amenorrhea	0.4	0.4	0.0	0.4	0.0	0.4
<b>Any traditional method</b>	8.3	11.6	9.7	8.7	12.5	9.3
Periodic abstinence	2.8	4.6	5.0	3.5	3.4	3.5
Withdrawal	5.5	7.0	4.7	5.1	9.2	5.8
Other	0.2	0.0	0.0	0.2	0.0	0.1
<b>Not currently using</b>	52.7	51.0	60.0	53.0	52.5	53.0
<b>Number</b>	553	240	82	725	151	875

**Table A3.13 Source of Family Planning Methods**

Percent distribution of women who are currently using a modern family planning methods by method and most recent source, by region and place of residence, CPFH 2005.

<b>Source of family planning methods</b>	<b>Central</b>	<b>North</b>	<b>South</b>	<b>Urban</b>	<b>Rural</b>	<b>Total (weighted)</b>
<b>Pill</b>						
Public sector	35.2	43.4	100.0	35.2	81.3	41.9
Private sector	64.8	56.6	0.0	64.9	18.7	58.1
Other						
<b>Total</b>	100.0	100.0	100.0	100.0	100.0	100.0
<b>Number</b>	62	27	6	81	14	95
<b>IUD</b>						
Public sector	31.6	33.9	31.4	32.2	32.2	32.2
Private sector	68.4	66.1	68.6	67.8	67.8	67.8
Other						
<b>Total</b>	100.0	100.0	100.0	100.0	100.0	100.0
<b>Number</b>	190	72	16	236	42	278
<b>All modern methods</b>						
Public sector	33.0	41.7	62.0	35.0	49.4	37.2
Private sector	67.0	58.3	38.0	65.0	50.6	62.8
Other						
<b>Total</b>	100.0	100.0	100.0	100.0	100.0	100.0
<b>Number</b>	293	118	28	373	66	439

**Table A3.14 Premarital and Newly Wed Counseling**

Percent of ever-married women, husbands, and never-married female and male youth who have heard about premarital or newly wed counseling and who had the counseling, by region and place of residence, CPFH 2005.

<b>Know/have premarital or newly wed examination</b>	<b>Central</b>	<b>North</b>	<b>South</b>	<b>Urban</b>	<b>Rural</b>	<b>Total (weighted)</b>
<b>WOMEN</b>						
Know about premarital counseling	81.0	79.6	81.3	81.3	77.1	80.6
Had premarital counseling	9.7	5.8	5.1	8.4	7.4	8.2
Discussed FP at counseling	41.4	34.9	34.8	39.7	39.8	39.8
Know about newly wed counseling	38.8	42.4	38.3	36.6	40.3	39.7
Had newly wed counseling	5.7	8.1	1.0	5.5	8.0	5.9
Discussed FP at counseling	81.4	85.3	100.0			83.1
<b>Number</b>	815	343	113	199	1073	1271
<b>HUSBANDS</b>						
Know about premarital counseling	76.7	76.0	69.9	76.4	73.1	75.8
Had premarital counseling	10.1	8.9	10.2	9.3	12.5	9.8
Discussed FP at counseling	59.1	34.2	51.0	56.5	36.8	52.2
Know about newly wed counseling	55.9	53.9	45.3	56.4	44.5	54.3
Had newly wed counseling	11.9	10.4	5.8	11.1	9.8	10.9
Discussed FP at counseling	59.9	75.5	39.9	35.5	45.3	37.0
<b>Number</b>	554	240	82	725	151	876
<b>NEVER-MARRIED FEMALE YOUTH</b>						
Know about premarital counseling	91.2	86.7	98.6	90.5	91.6	90.7
Know about newly wed counseling	55.0	53.3	44.6	54.0	50.7	53.4
Intend to have premarital counseling	86.7	82.6	95.3	85.8	89.5	86.4
Intend to have newly wed counseling	50.8	51.6	44.6	50.6	49.0	50.4
<b>Number</b>	277	135	50	380	82	462
<b>NEVER-MARRIED MALE YOUTH</b>						
Know about premarital counseling	80.2	84.7	76.7	80.8	82.5	81.1
Know about newly wed counseling	54.2	52.4	46.2	53.1	52.5	53.0
Intend to have premarital counseling	78.8	81.2	75.4	78.6	81.5	79.1
Intend to have newly wed counseling	51.7	50.0	39.4	50.1	50.2	50.1
<b>Number</b>	300	130	43	391	82	473