

## Chapter 4 Appendix: Maternal Health

<b>Characteristics</b>	<b>Central</b>	<b>North</b>	<b>South</b>	<b>Urban</b>	<b>Rural</b>	<b>Total (weighted)</b>
<b>Ever attended ANC</b>	97.1	97.6	96.5	97.0	98.3	97.2
<b>ANC visits</b>						
None	0.0	0.4	0.0	0.1	0.0	0.1
1-5	16.4	20.9	17.8	17.0	22.2	17.8
6-10	69.8	61.5	70.8	67.2	68.7	67.5
10+	13.8	17.2	11.4	15.6	9.2	14.6
<b>Total</b>	100.0	100.0	100.0	100.0	100.0	100.0
<b>Timing of first ANC check</b>						
No ANC	0.0	0.4	0.0	0.1	0.0	0.1
1 month	49.6	35.7	47.3	46.2	41.0	45.4
2-3 months	36.5	49.5	44.2	39.6	47.5	40.9
4+ months	14.0	14.8	8.6	14.1	11.5	13.7
<b>Total</b>	100.0	100.0	100.0	100.0	100.0	100.0
<b>Months pregnant at last ANC visit</b>						
Less than 6 months	7.3	12.9	3.7	7.7	12.9	8.5
6-7 months	2.2	1.8	0.0	2.0	1.1	1.9
8+ months	90.5	85.3	96.3	90.3	86.0	89.6
<b>Total</b>	100.0	100.0	100.0	100.0	100.0	100.0

**Table A4.2: Knowledge of ANC among husbands**

Percentage of husbands who have heard about ANC, and percent distribution of those who have heard about ANC by source from which ANC should be received, the importance of ANC and the appropriate number of ANC visits

Characteristics	Central	North	South	Urban	Rural	Total (weighted)
<b>Ever heard about ANC</b>	96.5	95.3	94.3	96.5	93.0	95.9
Number	554	240	82	725	151	876
<b>Source for ANC</b>						
Govt. facility /university	68.3	73.5	73.2	70.2	69.9	70.2
Royal med services	1.8	3.2	2.4	2.3	1.9	2.3
Other public	2.3	5.6	10.0	3.4	6.6	3.4
Private hosp	23.0	16.0	13.1	20.3	19.6	20.3
Unrwa health center	2.9	0.3	0.0	2.1	0.7	2.1
Other private	1.7	1.4	1.3	1.6	1.3	1.6
Number	518	223	77	683	135	818
<b>Importance of ANC</b>						
Important	99.2	98.4	100.0	99.2	98.4	99.0
Not important	0.8	1.0	0.0	0.7	1.6	0.8
Don't know	0.0	0.6	0.0	0.2	0.0	0.2
Number	532	227	77	697	139	836
<b>Wife attended ANC during last pregnancy</b>						
Yes	95.2	93.6	96.4	94.9	94.9	94.9
No	4.5	5.1	3.7	4.6	4.6	4.6
Don't know	0.3	1.3	0.0	0.6	0.5	0.6
Number	379	160	51	491	100	591
<b>Mean number of appropriate ANC visits</b>						
	7.8	7.2	8.8	7.8	7.8	7.8
Number	640	427	134	874	327	1201

**Table A4.3: Knowledge of ANC youth**

Percentage of never-married youth who have heard about ANC

Characteristics	Central	North	South	Urban	Rural	Total (weighted)
<b>NEVER-MARRIED FEMALE YOUTH</b>						
<b>Ever heard about ANC</b>	92.8	90.6	96.7	92.1	94.5	92.5
Number	278	135	50	381	82	463
<b>Source for ANC</b>						
Govt. facility /university	53.2	57.4	57.3	53.0	63.4	54.9
Royal med services	2.0	1.5	2.1	1.5	3.7	1.9
Other public	2.3	2.4	2.0	2.1	3.2	2.3
Private hosp	40.0	36.1	38.6	40.9	28.9	38.7
Unrwa health center	1.8	0.5	0.0	1.5	0.0	1.2
Other private	0.7	2.1	0.0	1.1	0.9	1.0
Number	252	121	48	344	77	421
<b>Importance of ANC</b>						
Important	99.1	100.0	98.0	99.1	100.0	99.3
Not important	0.0	0.0	2.0	0.3	0.0	0.2
Don't know	0.9	0.0	0.0	0.6	0.0	0.5
Number	257	122	48	350	77	427
<b>Intention to use ANC</b>						
Yes	98.2	99.1	95.8	98.2	98.3	98.2
No	0.6	0.4	4.2	1.0	0.6	0.9
Don't know	1.2	0.5	0.0	0.8	1.2	0.9
Number	255	122	47	347	77	424
<b>Mean number of appropriate ANC visits</b>						
	10.9	10.4	8.9	10.6	10.5	10.5
Number	237	181	45	335	120	463
<b>NEVER-MARRIED MALE YOUTH</b>						
<b>Ever heard about ANC</b>	88.4	88.5	87.4	88.5	87.8	88.3
Number	300	130	43	391	82	473
<b>Source for ANC</b>						
Govt. facility /university	68.0	74.3	80.7	70.8	71.0	70.8
Royal med services	0.6	1.0	3.3	0.7	2.0	1.0
Other public	2.4	3.7	2.5	2.2	5.4	2.8
Private hosp	26.5	17.2	13.5	23.3	20.1	22.8
Unrwa health center	2.1	1.4	0.0	1.9	0.7	1.7
Other private	0.4	2.5	0.0	1.0	0.8	1.0
Number	257	113	36	36	70	406
<b>Importance of ANC</b>						
Important	100.0	98.9	100.0	99.7	100.0	99.7
Not important	0.0	1.1	0.0	0.4	0.0	0.3
Don't know						
Number	267	116	38	348	72	420
<b>Intention to let wife do ANC</b>						
Yes	99.0	99.1	100.0	99.1	99.4	99.1
No	0.4	0.4	0.0	0.3	0.7	0.4
Don't know	0.6	0.5	0.0	0.6	0.0	0.5
Number	266	114	38	346	72	418

<b>Mean number of appropriate ANC visits</b>	12.5	11.9	12.3	12.6	11.1	12.3
Number	242	181	50	346	127	473

**Table A4.4: Postnatal care for mothers**

Percent distribution of births who born during the period from the previous interview conducted by timing of first postnatal care checkup, type of provider and location of the first postnatal check-up for mother by region and residence, 2005 CPFH

Characteristics	Central	North	South	Urban	Rural	Total (weighted)
<b>Received postnatal care</b>	49.1	35.3	39.3	45.3	38.4	44.3
Number	485	218	75	658	120	778
<b>Was advised about family planning at visit</b>	45.9	43.4	39.2	45.5	40.3	44.8
Number	485	218	75	658	120	778
<b>Timing of first postnatal check up for mother</b>						
Within one week	56.3	51.9	59.8	55.0	59.5	55.6
1-2 weeks after delivery	17.4	11.5	7.5	15.5	13.7	15.2
2-3 weeks after delivery	0.3	2.1	0.0	0.5	1.3	0.6
3-4 weeks after delivery	7.6	9.7	15.6	8.7	9.2	8.8
More than 4 weeks after delivery	18.5	24.8	17.2	20.3	16.3	19.8
<b>Total</b>	224	72	28	281	43	324
<b>Provider for first postnatal checkup for mother</b>						
Health professional/doctor	88.0	84.4	75.7	87.5	77.5	86.2
Nurse/midwife	11.4	15.6	24.3	12.1	22.5	13.4
Other person/TBA	0.6	0.0	0.0	0.5	0.0	0.4
<b>Total</b>	224	72	28	281	43	324
<b>Why didn't seek postnatal care</b>						
No need to go/ not sick	84.4	80.9	95.6	84.8	82.7	84.4
Not aware of availability	4.1	8.6	1.9	5.6	4.1	5.4
Other	11.5	10.5	2.5	9.6	13.2	10.2
<b>Total</b>	257	149	48	376	78	454

<b>Table A4.5: Attitudes towards postnatal care</b>						
Percentage of women, husbands and never-married female and male youth by the attitudes of the importance of postnatal care for mother and newborn, by region and residence CPFH 2005						
	Central	North	South	Urban	Rural	Total (weighted)
<b>Women</b>						
<b>Is it important for a newborn infant to be examined by a medical professional</b>						
Yes	95.2	94.2	94.8	95.2	93.2	94.9
No	3.9	4.4	3.4	3.9	4.3	4.0
Don't know	0.9	1.5	1.8	0.9	2.6	1.1
Number	1173	484	157	1523	291	1814
<b>Is it important for a mother to be examined by a medical professional</b>						
Yes	98.4	97.8	96.7	98.4	96.8	98.1
No	1.2	1.6	2.8	1.3	2.0	1.4
Don't know	0.4	0.6	0.5	0.3	1.2	0.5
Number	1173	484	157	1523	291	1814
<b>Husbands</b>						
<b>Is it important for a newborn infant to be examined by a medical professional</b>						
Yes	97.7	98.8	98.1	98.2	97.1	98.0
No	2.0	0.3	1.0	1.5	1.1	1.5
Don't know	0.3	0.8	0.8	0.2	1.8	0.5
Number	554	240	82	725	151	876
<b>Is it important for a mother to be examined by a medical professional</b>						
Yes	97.1	94.9	95.6	97.2	92.3	96.4
No	2.3	3.7	1.6	2.3	3.9	2.6
Don't know	0.7	1.4	2.9	0.5	3.8	1.1
Number	554	240	82	725	151	876
<b>Female youth</b>						
<b>Is it important for a newborn infant to be examined by a medical professional</b>						
Yes	98.6	99.6	100.0	98.8	100.0	99.0
No	0.7	0.0	0.0	0.5	0.0	0.4
Don't know	0.7	0.5	0.0	0.7	0.0	0.6
Number	278	135	50	381	82	463
<b>Is it important for a mother to be examined by a medical professional</b>						
Yes	98.7	98.4	100.0	98.7	99.4	98.8
No	0.0	1.1	0.0	0.4	0.0	0.3
Don't know	1.3	0.5	0.0	1.0	0.6	0.9
Number	278	135	50	381	82	463
<b>Male youth</b>						
<b>Is it important for a</b>						

<b>newborn infant to be examined by a medical professional</b>						
Yes	97.9	98.7	100.0	98.4	97.7	98.3
No	0.9	0.9	0.0	0.8	1.1	0.8
Don't know	1.2	0.4	0.0	0.8	1.2	0.9
Number	300	130	43	391	82	473
<b>Is it important for a mother to be examined by a medical professional</b>						
Yes	94.9	94.9	97.4	94.7	97.2	95.1
No	2.7	2.1	1.8	2.7	1.2	2.5
Don't know	2.4	3.1	0.8	2.6	1.6	2.5
Number	300	130	43	391	82	473

<b>Table A 4.6: Intention to have postnatal care for mother and child</b>						
Percentage of husbands and never-married female and male youth by the likelihood of letting the wife and newborn go for postnatal care and checkup, by region and residence CPFH 2005						
	Central	North	South	Urban	Rural	Total (weighted)
<b>Husbands</b>						
<b>Intention to do postnatal care for a newborn</b>						
Unlikely	6.4	3.2	1.0	5.7	1.8	5.0
Somewhat likely	9.6	9.6	5.9	8.9	11.2	9.3
Likely	81.4	87.0	91.8	83.5	86.2	83.9
Don't know	2.6	0.3	1.3	2.0	0.8	1.8
Number	554	240	82	725	151	876
<b>Intention to do postnatal for the wife</b>						
Unlikely	4.3	3.8	0.0	4.0	2.5	3.7
Somewhat likely	13.3	12.3	8.2	12.1	15.1	12.6
Likely	80.7	83.1	88.1	82.4	80.2	82.0
Don't know	1.72	0.85	3.71	1.6	2.2	1.7
Number	553	240	82	724	151	875
<b>Never-married female youth</b>						
<b>Intention to do postnatal care for a newborn</b>						
Unlikely	13.5	8.9	18.1	13.5	8.7	12.7
Somewhat likely	2.9	0.3	0.0	1.6	2.9	1.8
Likely	79.1	89.1	76.7	80.8	86.3	81.7
Don't know	4.5	1.7	5.2	4.1	2.0	3.8
Number	278	135	50	381	82	463
<b>Intention to do postnatal</b>						
Unlikely	9.2	2.9	0.7	7.0	3.7	6.4
Somewhat likely	4.0	5.3	2.1	4.3	3.7	4.2
Likely	82.1	90.4	92.2	84.4	91.1	85.6
Don't know	4.8	1.4	5.1	4.3	1.5	3.8
Number	278	135	50	381	82	463
<b>Never-married male youth</b>						
<b>Intention to do postnatal for the newborn</b>						
Unlikely	3.5	6.5	3.9	4.7	2.6	4.4

Somewhat likely	4.5	7.0	0.5	3.6	11.0	4.8
Likely	89.1	85.2	95.5	89.4	85.2	88.6
Don't know	2.8	1.3	0.0	2.4	1.2	2.2
Number	300	130	43	391	82	473
<b>Intention to do postnatal for the wife</b>						
Unlikely	2.8	1.8	1.6	2.7	1.2	2.4
Somewhat likely	7.9	4.3	4.5	7.0	4.7	6.6
Likely	86.7	89.8	94.0	87.1	93.3	88.2
Don't know	2.6	4.2	0.0	3.2	0.9	2.8
Number	300	130	43	391	82	473